

TFP-2TT00-000B

TFP Fiber Termination/Splice Panel, unloaded, termination only rack/cabinet mount panel, 2 RU, 19 in, black, T-handle latch close

Product Classification

Portfolio	NETCONNECT®
Product Series	TFP
Product Type	Fiber patch/splice panel
Regional Availability	Asia Latin America North America

Construction Materials

Finish	Powder coated
Material Type	Aluminum

Dimensions

Depth	399.29 mm 15.72 in
Height	88.90 mm 3.50 in
Width	482.60 mm 19.00 in
Weight	3.74 kg 8.25 lb

Environmental Specifications

Operating Temperature	-40 °C to +85 °C (-40 °F to +185 °F)
Storage Temperature	-40 °C to +85 °C (-40 °F to +185 °F)

General Specifications

Rack Units	2.0
Shelf Movement	Sliding
Body Style	Symmetrical
Color	Black
Color, front	Black
Functionality	Patching Splicing
Growth Configuration	Unloaded
Includes	Mounting hardware
Package Quantity	1
Rack Type	EIA 19 in EIA 23 in

Mechanical Specifications

Patch Cord Entry Location	Front, left side Front, right side
----------------------------------	--------------------------------------

Regulatory Compliance/Certifications

Agency

RoHS 2011/65/EU

Classification

Compliant



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity Divested:](#)

[FGSB-MSHS-KS](#)