




Profibus I/O Modules with 8-Digital Inputs

0970 PSL 118



8 IN

Profibus-DP device with 8 digital inputs to connect standard sensors, combined M12 socket, rotary switches for addressing, M12 bus connection, 7/8" power supply.



Bit Assignment

Bit	7	6	5	4	3	2	1	0	
M12 Input									
Byte 0	8	7	6	5	4	3	2	1	
Diagnostic									
DIA-Byte	-	-	-	OVL	-	-	-	-	
OVL: Overload status									

Diagnostic Indication

LED	Indication	Condition
18	yellow	channel status
Us	green	sensor/system power supply
UL	green	module electronic supply active
BF	red	bus error
DIA	red	module diagnostics (sensor short-circuit / sensor overload

Pin Assignment

Bus conne	ction M12	Power supply 7/8"	Input M12	
4	1 = +5 V ¹ 2 = Line A 3 = GND (0 V) ¹ 4 = Line B 5 = earth	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 0 1 = +24 V 2 = n.c. 2 3 = GND (0 V) 4 = IN 5 = Earth	1 = internal signals 2 = system sensors

PROFIBUS®

Be Certain with Belden

Profibus I/O Modules with 8-Digital Inputs

0970 PSL 118

Technical Data

Environmental

Degree of protection IP 67

Operating temperature range $-0^{\circ}\text{C} \ (+32^{\circ}\text{F}) \ \text{to} \ +60^{\circ}\text{C} \ (+140^{\circ}\text{F})$

Mechanical

Weight 535 g
Housing material PUR

Bus system Profibus
ID number 044F hex
GSD file Lum_044F.gsd
Transmission rate max. 12 MBaud
Address range 1–126 dec

Rotary address switches 1–99 dec
Default address 99 dec

Electronics power supply
Rated voltage 24 V DC

Voltage range 19 - 28.8 V DC

Power consumption typ. 60 mA

Reverse polarity protection yes Indication LED green

Input power supplyUsNominal voltage24 V DCVoltage range19 - 28.8 V DCTotal current of all sensorsmax. 800 mA

Short circuit-proof yes Indication LED green

Inputs Type 3 acc. to IEC 61131-2

Rated input voltage 24 V DC
Signal state "1" 11–30 V
Signal state "0" -3–5 V
Input current at 24 V typ. 6 mA
Channel type N.O. p-switching

Number of digital channels 8

Channel status indicator LED yellow per channel

Included in delivery/accessories

Dust covers M12 2 pieces
Attachable labels 10 pieces

Part Number

0970 PSL 118









The application of these products in harsh environments should always be checked before use. Specifications subject to alteration.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Lumberg Automation: 0970 PSL 118